AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

- 1. (previously presented) A finishing unit for floor covering has a lower section adapted to engage a floor and an upper section adapted to engage an adjacent wall, with the area of the lower section adjacent the upper section being adapted so that floor covering laid over said area forms a curved surface and wherein the finishing unit has a wall or floor facing backing part and a floor covering facing front part wherein the front part is provided with attaching means suitable for attaching the finishing unit to the floor covering.
- 2. (original) A finishing unit as defined in Claim 1 wherein the upper section and lower section are substantially rigid.
 - 3. (cancelled)
 - 4. (cancelled)
- 5. (previously presented) A finishing unit as defined in Claim 1 wherein the attaching means is cured or substantially cured adhesive, preferably covered with a removable protective liner, which when removed exposes the cured or substantially cured adhesive.
- 6. (original) A finishing unit as defined in Claim 5 wherein the cured or substantially cured adhesive is provided indirectly on the unit with a piece of foam material between the adhesive and the unit.
- 7. (previously presented) A finishing unit as defined in Claim 1 wherein the unit has a wall-facing backing part and a floor covering-facing front part wherein some or all of the backing part is ridged.

NY02:608486.1 -2-

- 8. (previously presented) A finishing unit as defined in Claim 1 wherein the finishing unit is adapted so as to provide one or more holes suitable for use in attaching the unit to a surface.
- 9. (previously presented) A finishing unit as defined in Claim 1 wherein the upper section of the finishing unit is adapted to provide a downwardly directed channel for receiving an edge of the floor covering.
- 10. (original) A finishing unit as defined in Claim 9 wherein the finishing unit includes a capping part wherein the capping part together with the front face of the upper section of the backing part form a channel having an entrance facing substantially towards the lower section of the backing part.
- 11. (original) A finishing unit as defined in Claim 10 wherein the capping part is attached to the finishing unit, preferably to the upper section of the finishing unit.
- 12. (previously presented) A finishing unit as defined in Claim 10 wherein the capping part is flexible.
- 13. (previously presented) A finishing unit as defined in Claim 10 wherein the capping part comprises an upstanding section, which is dimensionally adapted so that in use it will fit against the wall to which the unit is attached.
- 14. (previously presented) A finishing unit as defined in Claim 10 wherein the capping unit has a back section adapted to engage a wall and a front section, with the back section and front section together forming a downwardly directed channel, wherein some or all of the surface of the back section of the capping unit is provided with cured or substantially cured adhesive, preferably the cured or substantially cured adhesive is provided with a removable protective liner.

NY02:608486.1 -3-

- 15. (previously presented) A finishing unit as defined in Claim 9 wherein the channel is narrower at its entrance than at its closed end.
- 16. (previously presented) A finishing unit as defined in Claim 1 wherein the upper section is tapered towards its top, such that the uppermost edge of the upper section has a thickness less than that of the part of the upper section adjacent the lower section.
 - 17. (cancelled)
 - 18. (cancelled)
 - 19. (cancelled)
 - 20. (cancelled)
 - 21. (cancelled)
 - 22. (cancelled)
 - 23. (cancelled)
 - 24. (cancelled)
- 25. (previously presented) A finishing unit as defined in Claim 1 wherein the backing part is provided with attaching means suitable for attaching the finishing unit to the floor or wall where it is to be used.
- 26. (previously presented) A finishing unit as defined in Claim 7 wherein the backing part is formed from ridged material.

NY02:608486.1 -4-

27. (cancelled)

-5-